PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 37 Contents, Author Index and
Subject Index 1994

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept of Biochemistry, Liverpool University, Liverpool L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Applied Biology, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editor

M. R. MALIN: Journals Production Dept, Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

EDITORIAL BOARD—1995

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept of Biochemistry, University College of Swansea, Singleton Park SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czech Republic.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Okayama University of Sciences, Tsushima, Okayama 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
U. Sankawa:	Faculty of Pharmaceutical Sciences, University of Tokyo, Hongo 7-3-1, Bunkyo-ku, Tokyo 113, Japan.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 35, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1995).

Institutional Subscription Rates (1995): North, Central and South America, U.S.$1766.00, Rest of World, £1185.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and from the rest of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Copyright © 1995 Elsevier Science Ltd

Second class postage paid at NEWARK NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Front cover illustration: Leaves and acorns of *Taxus baccata*.

CONTENTS OF VOLUME 37

Number 1

Recent advances in the chemosystematics of the monocotyledons — 3 — J. B. HARBORNE and C. A. WILLIAMS

Review Article Number 92
A survey of antifungal compounds from higher plants, 1982–1993 — 19 — R. J. GRAYER and J. B. HARBORNE

Review Article Number 93
Proton NMR spectroscopy of pyrrolizidine alkaloids — 43 — C. G. LOGIE, M. R. GRUE and J. R. LIDDELL

Growth and Metabolism
A prenylated flavanone from *Tephrosia maxima* — 111 — E. VENKATA RAO, Y. RAJENDRA PRASAD and M. SREE RAMA MURTHY

The dynamic conformation of plant cytoplasmic 5S rRNAs — 113 — M. Z. BARCISZEWSKA, V. A. ERDMANN and J. BARCISZEWSKI

Invertase from *Schizophyllum commune* — 119 — H. P. ROJO, M. A. VATTUONE and A. R. SAMPIETRO

Inulin is a better inducer of acid invertase than sucrose — 125 — A. K. GUPTA, N. KAUR, D. P. SINGH, A. GILL and R. SINGH

Chalcone isomerase from *Citrus sinensis*: purification and characterization — 127 — S. D. FOUCHÉ and I. A. DUBERY

Purification and characterization of the rutin-degrading enzymes in tartary buckwheat seeds — 133 — T. YASUDA and H. NAKAGAWA

Ecological Biochemistry
Low-molecular weight substances from the resurrection plant *Sporobolus stapfianus* — 137 — F. MARINONE ALBINI, C. MURELLI, G. PATRITTI, M. ROVATI, P. ZIENNA and P. VITA FINZI

Sucrose esters from the surface lipids of *Nicotiana cavicola* — 143 — I. OHYA, Y. SINOZAKI, T. TOBITA, H. TAKAHASHI, T. MATSUZAKI and A. KOIWAI

Chemical transformations of some *neo*-clerodanes isolated from *Teucrium*: effect on the antifeedant activity — 147 — P. Y. MALAKOV, G. Y. PAPANOV, B. RODRÍGUEZ, M. C. DE LA TORRE, M. S. J. SIMMONDS, W. M. BLANEY and I. M. BONEVA

Cannabiorci- and 8-chlorocannabiorcichromenic acid as fungal antagonists from *Cylindrocarpon olidum* — 159 — K. QUAGHEBEUR, J. COOSEMANS, S. TOPPET and F. COMPERNOLLE

The basis of yellow colouration in *Lathyrus aphaca* flowers — 163 — K. R. MARKHAM and K. R. W. HAMMETT

Biosynthesis
Biosynthesis of DIMBOA in maize using deuterium oxide as a tracer — 167 — SHUYUN PENG and W. S. CHILTON

Biosynthesis of iridoids in *Forsythia* spp. — 173 — S. DAMTOFT, H. FRANZYK and S. R. JENSEN

Chemotaxonomy
Hydrocarbons of *Polytrichum commune* — 179 — R. NISSINEN and P. SEWÓN

Terpenoids from *Artemisia annua* and constituents of its essential oil — 183 — A. AHMAD and L. N. MISRA

Germacranolides and sesquiterpene dilactones from *Mikania dusenii*	187	G. Zamorano, C. A. N. Catalán, J. G. Díaz and W. Herz
Sesquiterpene lactones and other constituents of *Vernonia* species from Ethiopia	191	B. M. Abegaz, A. W. Keige, J. D. Díaz and W. Herz
Dolabranes from *Endospermum diadenum*	197	A. Kijjoa, M. A. Polónia, M. M. M. Pinto, T. Kitiratakarn, T. E. Gedris and W. Herz
Lanostane triterpenes from the bark of *Neolitsea sericea*	201	M. C. Sharma, T. Ohira and M. Yatagai
Pentacyclic triterpene acids in olives	205	G. Bianchi, N. Pozzi and G. Vlahov
Serratenes from the stem bark of *Picea jezoensis* Carr. *hondoensis*	209	R. Tanaka, R. Tsuboi and S. Matsunaga
Steroids from *Calvatia cyathiformis*	213	N. Kawahara, S. Sekita and M. Satake
Steroidal glycosides and cardenolide glycosides from *Asclepias fruticosa*	217	T. Warashina and T. Noro
Steroidal saponins from the bulbs of *Lilium longiflorum* and their antitumour-promoter activity	227	Y. Mimaki, O. Nakamura, Y. Sashida, Y. Satomi, A. Nishino and H. Nishino
Naphthalene and isocoumarin derivatives from the liverwort *Wettsteinia schusterana*	233	Y. Asakawa, Y. Tada and T. Hashimoto
Eleven aristolochic acid derivatives from *Aristolochia cinnabarina*	237	Li Hong, Y. Sakagami, S. Marumo and Chen Xinmin
A dimeric hydrolysable tannin from *Camellia oleifera*	241	T. Yoshida, T. Nakazawa, T. Hatano, Rong-Chi Yang, Ling-Ling Yang, Kun-Ying Yen and T. Okuda
An acylated cyanidin glycoside from the red–purple flowers of *Dendrobium*	245	N. Saito, K. Toki, K. Uesato, A. Shigihara and T. Honda
Rhamnetin 3-*p*-coumaroylrhamninoside from *Rhamnus petiolaris*	249	M. Özipek, İ. Çalış, M. Ertan and P. Rüedi
Flavonoid glycosides from *Eugenia jambos*	255	K. Slowing, M. Söllhuber, E. Carretero and A. Villar
Novel *O*-prenylated flavonoids from two varieties of *Boronia coerulescens*	259	M. Ahsan, J. A. Armstrong, S. Gibbons, A. I. Gray and P. G. Waterman
Four isoflavones and two 3-aryl coumarins from stems of *Derris scandens*	267	M. Narayana Rao, G. L. D. Krupadanam and G. Srimannarayana
Norditerpenoid alkaloids from *Aconitum vulparia* subsp. *neapolitanum*	271	G. de la Fuente and L. Ruiz-Mesía
Pyrrolizidine alkaloids from *Lithospermum officinale*	275	L. Krenn, H. Wiedenfeld and E. Roeder

Short Reports

A betaine lipid from *Pavlova lutheri*	279	M. Kato, K. Adachi, K. Hajiro-Nakanishi, E. Ishigaki, H. Sano and S. Miyachi
Immunosuppressive activity of a monoterpene from *Eucommia ulmoides*	281	N. Okada, K. Shirata, M. Niwano, H. Koshino and M. Uramoto
A 2-pyrone derivative from *Hypericum japonicum*	283	K. Ishiguro, S. Nagata, H. Fukumoto, M. Yamaki, K. Isoi and Y. Yamagata

Two flavones from *Graziela mollissima* 285 C. NAKASHIMA, W. VICHNEWSKI, J. G. DÍAZ and W. HERZ

A flavonoid and indole alkaloid from flowers of *Murraya paniculata* 287 TAIN-SHUNG WU, YU-YI CHAN, YANN-LII LEU and SHIOW-CHYN HUANG

Number 2

Announcements ix

Growth and Metabolism

Achiral cyclohexadienone analogues of abscisic acid: synthesis and biological activity 289 B. LEI, S. R. ABRAMS, B. EWAN and L. V. GUSTA

Structure–activity relationships of benzoxazolinones with respect to auxin-induced growth and auxin-binding protein 297 M. HOSHI-SAKODA, K. USUI, K. ISHIZUKA, S. KOSEMURA, S. YAMAMURA and K. HASEGAWA

A single-strand-specific nuclease from a fraction of wheat chloroplast stromal protein 301 M. MOŃKO, E. KULIGOWSKA and J. W. SZARKOWSKI

Bromination of phenols using an algal bromoperoxidase 307 M. SHANG, R. K. OKUDA and D. WORTHEN

Purification of an acidic coniferin-hydrolysing β-glucosidase from developing xylem of *Pinus banksiana* 311 V. LEINHOS, P. V. UDAGAMA-RANDENIYA and R. A. SAVIDGE

Cell walls of the cotyledons of three *Sophora* species 317 C. A. STORTZ, E. ANCIBOR and A. S. CEREZO

An approach to the estimation of ferulic acid bridges in unfractionated cell walls of wheat internodes 327 T. B. T. LAM, K. IIYAMA and B. A. STONE

Mass spectrometric quantification of salicylic acid in plant tissues 335 I. M. SCOTT and H. YAMAMOTO

Hamamelitannin as a new potent active oxygen scavenger 337 H. MASAKI, T. ATSUMI and H. SAKURAI

Ecological Biochemistry

Changes in the contents of free and conjugated abscisic acid, phaseic acid and cytokinins in xylem sap of drought stressed sunflower plants 345 A. BANO, H. HANSEN, K. DÖRFFLING and H. HAHN

Sesquiterpenoid phytoalexins produced by hairy roots of *Nicotiana tabacum* 349 M. S. WIBBERLEY, J. R. LENTON and S. J. NEILL

Diterpene glycosides from *Iphiona aucheri* 353 E. ROEDER, T. BOURAUEL, U. MEIER and H. WIEDENFELD

Polyphenols, astringency and proline-rich proteins 357 G. LUCK, HUA LIAO, N. J. MURRAY, H. R. GRIMMER, E. E. WARMINSKI, M. P. WILLIAMSON, T. H. LILLEY and E. HASLAM

Dihydrorhizobitoxine, a minor product of *Pseudomonas andropogonis* 373 R. E. MITCHELL

Antioxidant system in *Boea hygroscopica*: changes in response to desiccation and rehydration 377 C. L. M. SGHERRI, B. LOGGINI, A. BOCHICCHIO and F. NAVARI-IZZO

A phenalenone-type phytoalexin from *Musa acuminata* 383 N. HIRAI, H. ISHIDA and K. KOSHIMIZU

Biosynthesis

The bio-transformation of *ent*-19-hydroxykaur-16-en-15-one by *Cephalosporium aphidicola* 387 M. A. D. BOAVENTURA, J. R. HANSON, P. B. HITCHCOCK and J. A. TAKAHASHI

The reduction of tropinone in *Datura stramonium* root cultures by two specific reductases 391 A. PORTSTEFFEN, B. DRÄGER and A. NAHRSTEDT

Introduction of oxygenated functional groups into 3-carene and 2-pinene by cultured cells	401	T. Hirata, Y. Ikeda, S. Izumi, K. Shimoda, H. Hamada and T. Kawamura
The effect of postharvest storage on taxol and cephalomannine concentrations in *Taxus* × *media* 'Hicksii' Rehd	405	R. E. Schutzki, A. Chandra and M. G. Nair
Lignans in cell cultures of *Picea glehnii*	409	K. Nabeta, M. Hirata, Y. Ohki, S. W. Ananda Samaraweera and H. Okuyama
Elicitor-stimulated benzophenanthridine alkaloid biosynthesis in bloodroot suspension cultures is mediated by calcium	415	G. B. Mahady and C. W. W. Beecher
The effect of plant growth regulators on the production of canthin-6-one alkaloids by *Brucea javanica* cell suspension cultures	421	K. C.-S. Liu, M. F. Roberts, B. C. Homeyer, Shi-Lin Yang and J. D. Phillipson
Benzophenanthridine and furoquinoline accumulation in cell suspension cultures of *Fagara zanthoxyloides*	425	E. Couillerot, C. Caron, L. Comoe, J.-C. Audran, P. Molinatti, M. Zeches, L. Le Men-Olivier, J.-C. Jardillier and J.-C. Chenieux
Chemotaxonomy		
Amino acid sequence of ferredoxin from *Datura arborea*	429	Y. Mino
Sesqui- and diterpenoids from the Panamanian liverwort *Bryopteris filicina*	433	F. Nagashima, H. Izumo, S. Takaoka, M. Tori and Y. Asakawa
Three phenylethanoid glucosides of unusual structure from *Chirita sinensis* (Gesneriaceae)	441	S. Damtoft and S. R. Jensen
Chemical properties of lignin from *Aralia cordata*	445	T. Hibino, D. Shibata, T. Ito, D. Tsuchiya, T. Higuchi, B. Pollet and C. Lapierre
Evolution of flavonoids in the Phaseolinae	449	E. M. Zallocchi and A. B. Pomilio
A herbacetin methyl ether from the farinose exudate of a *Pentagramma triangularis* hybrid	455	E. Wollenweber, S. Armbruster and J. N. Roitman
Plant Chemistry		
Linalyl and bornyl disaccharide glycosides from *Gardenia jasminoides* flowers	457	N. Watanabe, R. Nakajima, S. Watanabe, J.-H. Moon, J. Inagaki, K. Sakata, A. Yagi and K. Ina
Linarionosides A–C and acyclic monoterpene diglucosides from *Linaria japonica*	461	H. Otsuka
Two new iridolactones and their glycosides from the roots of *Patrinia scabra*	467	I. Kouno, I. Yasuda, H. Mizoshiri, T. Tanaka, N. Marubayashi and Ding-Ming Yang
(+)-(*Z*)-Lanceol acetate from *Torilis arvensis*	473	H.-E. A. Saad, S. H. El-Sharkawy, J. P. Rosazza and A. F. Halim
Sesquiterpene lactones from North African *Artemisia* species	477	J. A. Marco, J. F. Sanz-Cervera, J. M. Pareja, F. Sancenon and J. Valles-Xirau
Guaianolides from *Centaurea glastifolia*	487	S. Öksüz and G. Topcu
A furanoditerpenoid from the liverwort *Jamesoniella autumnalis*	491	H. Tazaki, M. Blechschmidt, V. Huch, M. Veith and H. Becker
Dolabellane diterpene glucosides from *Chrozophora obliqua*	495	K. M. Mohamed, K. Ohtani, R. Kasai and K. Yamasaki

Further *neo*-clerodane diterpenoids from *Stachys rosea*	501	C. Fazio, M. P. Paternostro, S. Passannanti and F. Piozzi
Diterpenes from *Cipadessa fruticosa*	505	S. R. Rojatkar and B. A. Nagasampagi
Diterpenes from the brown alga *Dictyota bartayresiana*	509	Ch. Bheemasankara Rao, G. Trimurtulu, Ch. Sreedhara, D. Venkata Rao, S. C. Bobzin and D. J. Faulkner
Cycloartane glucosides from *Juncus effusus*	515	M. M. Corsaro, M. Della Greca, A. Fiorentino, P. Monaco and L. Previtera
Ursane and sterol derivatives from *Pleuchea lanceolata*	521	M. S. Alam, N. Chopra, M. Ali, M. Niwa and T. Sakae
An anthrone, an anthraquinone and two oxanthrones from *Kniphofia foliosa*	525	A. Yenesew, E. Dagne, M. Müller and W. Steglich
(+)-7′,7′-Dimethyl-5-hydroxy-2*R*,3*S*-*trans*-pubeschin from *Entandrophragma cylindricum*	529	D. Ngnokam, G. Massiot, J.-M. Nuzillard and E. Tsamo
Flavan-3-ols, prodelphinidins and further polyphenols from *Cistus salvifolius*	533	A. Danne, F. Petereit and A. Nahrstedt
Phenylpropanoids from *Pimpinella villosa*	539	M. J. Macías, V. Martín, M. Grande and K.-H. Kubeczka
A phenylpropanoid glucoside from *Perilla frutescens*	543	T. Fujita, A. Funayoshi and M. Nakayama
Phenylethanoid glycosides from *Veronica persica*	547	H. Aoshima, T. Miyase and A. Ueno
Methylated A-type proanthocyanidins and related metabolites from *Cassipourea gummiflua*	551	S. E. Drewes and C. W. Taylor
Analysis of anthocyanins and 3-deoxyanthocyanidins by plasma desorption mass spectrometry	557	K. V. Wood, C. Bonham, J. Hipskind and R. L. Nicholson
New coumarin and dihydrocinnamic acid derivatives from two Malaysian populations of *Micromelum minutum*	561	M. Rahmani, Yun Hin Taufiq-Yap, H. B. M. Ismail, A. Sukari and P. G. Waterman
Acetophenones and coumarins from stem bark and leaves of *Melicope stipitata*	565	I. C. Parsons, A. I. Gray, T. G. Hartley and P. G. Waterman
The occurrence of piceid, a stilbene glucoside, in grape berries	571	A. L. Waterhouse and R. Mª Lamuela-Raventós
Indole alkaloids from *Brucea mollis* var. *tonkinensis*	575	Y. Ouyang, K. Koike and T. Ohmoto
Alkaloids and quassinoids from *Ailanthus malabarica*	579	H. Aono, K. Koike, J. Kaneko and T. Ohmoto
Short Reports		
A *cis*,*cis*-germacrenolide from *Vicoa indica*	585	D. D. Sawaikar, S. R. Rojatkar and B. A. Nagasampagi
16α,17-Isopropylideno-3-oxo-phyllocladane, a diterpenoid from *Callicarpa macrophylla*	587	A. K. Singh and P. K. Agrawal
Luteolin 8-*C*-rhamnoside-7-*O*-rhamnoside from *Pteris cretica*	589	F. Imperato
A glycosidic lupin alkaloid from *Lupinus hirsutus*	591	H. Suzuki, Y. Koike, S. Takamatsu, T. Sekine, K. Saito and I. Murakoshi

Number 3

The daucane (carotane) class of sesquiterpenes — 597 E. L. Ghisalberti

Growth and Metabolism

Abscisic acid is present in liverworts — 625 Xiaoyue Li, E. S. Wurtele and C. E. LaMotte

A novel gibberellin glucoside, 16α,17-dihydroxy-16,17-dihydrogibberellin A_4-17-*O*-β-D-glucopyranoside, from rice anthers — 629 M. Hasegawa, M. Nakajima, K. Takeda, I. Yamaguchi and N. Murofushi

Gibberellin-like activity of some tetracyclic diterpenoids from *Elaeoselinum* species and their derivatives — 635 N. Villalobos, L. Martín, M. J. Macías, B. Mancheño and M. Grande

The seed storage proteins from *Lupinus albus* — 641 T. S. Melo, R. B. Ferreira and A. N. Teixeira

Partial purification and characterization of glyoxylate oxidase from the brown-rot basidiomycete *Tyromyces palustris* — 649 Y. Akamatsu and M. Shimada

Characterization of *O*-glucosyltransferases with activities toward phenolic substrates in alfalfa — 655 A. D. Parry and R. Edwards

Effect of tunicamycin on metabolism of unconjugated *N*-glycans in relation to regulation of tomato fruit ripening — 663 H. Yunovitz and K. C. Gross

Lipid content in leaves of *Deschampsia antarctica* from the Maritime Antarctic — 669 G. E. Zúñiga, M. Alberdi, J. Fernández, P. Montiel and L. J. Corcuera

Lipids from the bull kelp *Durvillaea potatorum* — 673 P. Virtue and P. D. Nichols

Free vitamin D_3 metabolites in *Cestrum diurnum* leaves — 677 T. P. Prema and N. Raghuramulu

Oxidation of coniferyl alcohol to lignin-like products by tobacco xylem cell walls — 683 G. J. McDougall, D. Stewart and I. M. Morrison

Ecological Biochemistry

Capillen, a seed germination inhibitor from *Artemisia capillaris* roots — 689 K. Yano and T. Ishizu

Phenolics induced in *Beta vulgaris* by *Rhizoctonia solani* infection — 691 C. A. Elliger and J. M. Halloin

Emission of volatiles from flowers and leaves of *Brassica napus in situ* — 695 H. B. Jakobsen, P. Friis, J. K. Nielsen and C. O. Olsen

Iridal levels in *Iris* rhizomes—effects of wounding and dehydration — 701 J.-P. Bonfils, Y. Sauvaire, Y. Baissac and F.-J. Marner

Ecdysteroids from the roots of *Leuzea carthamoides* — 707 J. Píš, M. Buděšínský, K. Vokáč, V. Laudová and J. Harmatha

Biosynthesis

Ring-nitrogen of β-isoxazolinone-alanine is incorporated into the neurotoxin, β-*N*-oxalyl-L-α,β-diaminopropionic acid, in callus tissue of *Lathyrus sativus* — 713 Yu-Haey Kuo, F. Lambein, L. C. Mellor, R. M. Adlington and J. E. Baldwin

The microbiological transformation of two ent-16β,17-epoxykaurane derivatives by *Gibberella fujikuroi* — 717 B. M. Fraga, P. González, R. Guillermo, J. R. Hanson, M. G. Hernández and J. A. Takahashi

Hydroxylation of progesterone by *Cephalosporium aphidicola* — 723 A. Farooq, J. R. Hanson and Z. Iqbal

Regulation of biosynthesis of carrot phytoalexin 6-methoxymellein — 727 F. Kurosaki

Cell Culture and Biotechnology

Evidence for the involvement of cytochrome P-450-dependent monooxygenases in the allylic hydroxylation of terpineols by *Nicotiana tabacum* cell cultures — 731 Yi-Xiong Tang and T. Suga

Biotransformation of α- and β-ionones by immobilized cells of *Nicotiana tabacum*	737	Yi-Xiong Tang and T. Suga
Chemical–microbiological synthesis of *ent*-13-*epi*-manoyl oxides with biological activities	741	A. García-Granados, Mª B. Jiménez, A. Martínez, A. Parra, F. Rivas and J. M. Arias
Accumulation of petroselinic acid in developing somatic carrot embryos	749	Linsen Liu, E. G. Hammond and E. S. Wurtele
Chemotaxonomy		
Phloroglucinol glucoside as a natural constituent of *Cannabis sativa*	755	C. T. Hammond and P. G. Mahlberg
Plant Chemistry		
Dihydroxy acidissiminol and acidissiminol epoxide, two tyramine derivatives from *Limonia acidissima*	757	P. Ghosh, M. K. Ghosh, S. Thakur, J. Dan (Datta), T. Akihisa, T. Tamura and Y. Kimura
Betacyanins from bracts of *Bougainvillea glabra*	761	S. Heuer, S. Richter, J. W. Metzger, V. Wray, M. Nimtz and D. Strack
Minor iridoids from the leaves of *Plumeria obtusa*	769	B. S. Siddiqui, A. Naeed, S. Begum and S. Siddiqui
Sesquiterpenoids from liverworts *Lepidozia vitrea* and *L. fauriana*	773	Yi-Fang Shu, Han-Chao Wei and Chia-Li Wu
Sesquiterpenoids from the liverwort *Marsupella aquatica*	777	F. Nagashima, A. Ishimaru and Y. Asakawa
Cordifolisides A, B, C: norditerpene furan glycosides from *Tinospora cordifolia*	781	V. D. Gangan, P. Pradhan, A. T. Sipahimalani and A. Banerji
Sphenolobane and fusicoccane diterpenoids from the liverwort *Anastrophyllum auritum*	787	J. Zapp, G. Burkhardt and H. Becker
Triterpene caffeates from bark of *Betula pubescens*	795	H. Pan, L. N. Lundgren and R. Andersson
Cardenolide glycosides from *Asclepias fruticosa*	801	T. Warashina and T. Noro
Iristectorones A–H, spirotriterpene–quinone adducts from *Iris tectorum*	807	K. Seki, T. Tomihari, K. Haga and R. Kaneko
Nor-cucurbitacin glucosides from *Caputo nigri*	817	K. Nakano, Y. Kanai, K. Murakami, Y. Takaishi and T. Tomimatsu
Triterpenoid saponins from *Melanthera scandens*	821	A. Penders and C. Delaude
Triterpenoid saponins from *Madhuca butyracea*	827	Xing-cong Li, Yu-qing Liu, De-zu Wang, Chong-ren Yang, S. K. Nigam and G. Misra
Steroidal glycosides from *Capsicum annuum*	831	S. Yahara, T. Ura, C. Sakamoto and T. Nohara
Cassanes and anthraquinones from *Chamaecrista greggii*	837	B. Barba, J. G. Díaz and W. Herz
A 6-substituted 5,6-dihydro-α-pyrone from two species of *Cryptocarya*	847	B. M. Sehlapelo, S. E. Drewes and R. Scott-Shaw
Phenolic constituents of Formosan *Broussonetia papyrifera*	851	Song-Chwan Fang, Bor-Jinn Shieh and Chun-Nan Lin
X-ray analysis and extended NMR study of oraposide	855	C. Andary, R. Wylde, L. Maury, A. Heitz, A. Dubourg and S. Nishibe

Bibenzyl cannabinoid and bisbibenzyl derivative from the liverwort *Radula perrottetii*	859	M. Toyota, T. Kinugawa and Y. Asakawa
Monomeric and dimeric hydrolysable tannins from two Melastomataceous species	863	T. Yoshida, H. Arioka, T. Fujita, Xin-Min Chen and T. Okuda
Lignans and other constituents of *Zanthoxylum heitzii*	867	S. Ngouela, E. Tsamo and J. D. Connolly
A 1,7-diarylheptanoid from *Alpinia conchigera*	871	S. Athamaprasangsa, U. Buntrarongroj, P. Dampawan, N. Ongkavoranan, V. Rukachaisirikul, S. Sethijinda, M. Sornnarintra, P. Sriwub and W. C. Taylor
Xanthone and antifungal constituents from *Monnina obtusifolia*	875	D. C. G. Pinto, N. Fuzzati, X. C. Pazmino and K. Hostettmann
Three biflavonoids from *Wikstroemia sikokiana*	879	K. Baba, M. Taniguchi and M. Kozawa
Malvidin 3-glucoside-5-glucoside sulphates from *Babiana stricta*	885	K. Toki, N. Saito, T. Ueda, T. Chibana, A. Shigihara and T. Honda
Anti-oral microbial activity of isoflavonoids in root bark of *Ormosia monosperma*	889	M. Iinuma, Y. Okawa, T. Tanaka, Feng-Chi Ho, Y. Kobayashi and Ken-Ichi Miyauchi
Two isoflavones and a flavone from the fruits of *Maclura pomifera*	893	G. D. Monache, R. Scurria, A. Vitali, B. Botta, B. Monacelli, G. Pasqua, C. Palocci and E. Cernia
Anthocerodiazonin, an alkaloid from *Anthoceros agrestis*	899	F. Trennheuser, G. Burkhard and H. Becker
Short Reports		
A monoterpene from *Umbellularia californica*	905	Lee-Juian Lin, Bai-Ping Ying, M. Sweeney, Zhan Wang and Yih-Shen Hwang
Salvianolic acid J, a depside from *Salvia flava*	907	Chun-Bo Ai, Qiao-Hong Deng, Wan-Zhi Song and Lian-Niang Li
Praemorsin, a new phenanthropyran from *Acampae praemorsa*	909	V. Anuradha and N. S. P. Rao
First occurrence of a xanthone and isolation of a 6-ketodehydrorotenoid from *Dalbergia sissoides*	911	S. K. Sripathi, R. Gandhidasan, P. V. Raman, N. R. Krishnasamy and S. Nanduri
Book Review		
The Flavonoids, Advances in Research Since 1986: edited by J. B. Harborne	913	M. F. Roberts

Number 4

Synthesis, crystal structure and cytokinin activities of β-substituted 6-styrylpurines	915	S. Nishikawa, F. Yamashita, N. Kashimura, Z. Kumazawa, N. Oogami and H. Mizuno
Wounding induces a series of closely related trypsin/chymotrypsin inhibitory peptides in leaves of tobacco	921	M. T. McManus, W. A. Laing and J. T. Christeller
Polyamine metabolism in normal and sterile *Chrysanthemum morifolium*	927	M. Aribaud and J. Martin-Tanguy
Immunogenicity of the *N*-glycans of peanut peroxidase	933	Lianglu Wan and R. B. van Huystee

Purification and characterization of cinnamyl alcohol dehydrogenase isoforms from *Phaseolus vulgaris*	941	J. GRIMA-PETTENATI, C. CAMPARGUE, A. BOUDET and A. M. BOUDET
Purification of three pectin esterases from ripe peach fruit	949	H. GLOVER and C. BRADY
Hexose-6-kinases in germinating honey locust cotyledons: substrate specificity of D-fructo-6-kinase	957	D. K. MYERS and N. K. MATHESON
The resolution of diterpene cyclase activities from *Ricinus communis*	971	C. M. SPICKETT, K. PONNAMPERUMA and C. ABELL
Thiol composition of a xylem-tapping mistletoe and the xylem sap of its hosts	975	H. RENNENBERG, R. SCHUPP and A. SCHNEIDER
Towards the characterization of radicals formed in rhizomes of *Iris germanica*	979	R. M. M. CRAWFORD, D. A. LINDSAY, J. C. WALTON and B. WOLLENWEBER-RATZER
UV-B protective potential and flavonoid content of leaf hairs of *Quercus ilex*	987	H. SKALTSA, E. VERYKOKIDOU, C. HARVALA, G. KARABOURNIOTIS and Y. MANETAS
Ecological Biochemistry		
Short-term shifts in nitrogen metabolism in mulberry *Morus alba* under salt shock	991	S. RAMANJULU, K. VEERANJANEYULU and C. SUDHAKAR
Iridoid glycosides from some butterflies and their larval food plants	997	F. R. STERMITZ, M. S. ABDEL-KADER, T. A. FODERARO and M. POMEROY
Detoxification of the potato phytoalexin rishitin by *Gibberella pulicaris*	1001	H. W. GARDNER, A. E. DESJARDINS, S. P. MCCORMICK and D. WEISLEDER
Interactions between the glycoalkaloids solasonine and solamargine in relation to inhibition of fungal growth	1007	A. M. FEWELL, J. G. RODDICK and M. WEISSENBERG
Extreme differences in pyrrolizidine alkaloid levels between leaves of *Cynoglossum officinale*	1013	N. M. VAN DAM, R. VERPOORTE and E. VAN DER MEIJDEN
Biosynthesis		
Specific transfer of ^3H from D-[3-^3H]gluconic acid into L-tartaric acid in vitaceous plants	1017	K. SAITO
The hydroxylation of globulol and 7-epiglobulol by *Cephalosporium aphidicola*	1023	J. R. HANSON, P. B. HITCHCOCK and R. MANICKAVASAGAR
Biotransformation of sesquiterpenoids, (−)-globulol and (+)-ledol by *Glomerella cingulata*	1027	M. MIYAZAWA, T. UEMURA and H. KAMEOKA
The effects of excess exogenous mevalonic acid on sterol and steryl ester biosynthesis in celery (*Apium graveolens*) cell suspension cultures	1031	S. C. WILKINSON, R. POWLS and L. J. GOAD
Hydroxylation of piperitone by cell suspension cultures of *Catharanthus roseus*	1037	H. HAMADA, Y. FUCHIKAMI, Y. IKEMATSU, T. HIRATA, H. J. WILLIAMS and A. I. SCOTT
Chemotaxonomy		
Cyanoglucosides from *Osmaronia cerasiformis* (Rosaceae)	1039	M. LECHTENBERG, A. NAHRSTEDT, V. WRAY and F. R. FRONCZEK
Methylated *C*-glycosylflavones as taxonomic markers in orchids of the subtribe Ornithocephalinae	1045	C. A. WILLIAMS, A. L. TOSCANO DE BRITO, J. B. HARBORNE, J. EAGLES and P. G. WATERMAN
The alkaloids of *Melodinus morsei*	1055	YA-LI HE, WEI-MING CHEN and XIAO-ZHANG FENG
Plant Chemistry		
ortho-Topolin-9-glucoside, an aromatic cytokinin from *Populus* × *canadensis* cv *Robusta* leaves	1059	M. STRNAD, W. PETERS, J. HANUŠ and E. BECK

Preparation of gibberellins A_{91} and A_{92} and their occurrence in developing wheat grain	1063	M. Penny, C. L. Willis, P. Gaskin and J. R. Lenton
Characterization and mitogenicity of a lectin from *Erythrina velutina* seeds	1069	D. Stojanovic, M. Fernandez, I. Casale, D. Trujillo and M. Castes
Cold water-soluble polysaccharides from tetrasporic *Pterocladia capillacea*	1075	M. I. Errea and M. C. Matulewicz
Two monoterpenes from fruits of *Gardenia jasminoides*	1079	Wei-Min Zhao, Jun-Ping Xu, Guo-Wei Qin and Ren-Sheng Xu
Inerminosides A1, C and D, three iridoid glycosides from *Clerodendrum inerme*	1083	İ. Çalış, M. Hosny and A. Yürüker
Iridoids and other glucosides from *Penstemon acuminatus*	1087	T. Vesper and K. Seifert
Sesquiterpene esters from the liverwort *Plagiochila porelloides*	1091	M. Toyota, I. Nakamura, S. Huneck and Y. Asakawa
Sesquiterpene lactones and acetylenes from *Artemisia reptans*	1095	J. A. Marco, J. F. Sanz-Cervera, F. Sancenón, M. Arnó and J. Vallès-Xirau
Sesquiterpene lactones, lignans and aromatic esters from *Cheirolophus* species	1101	J. A. Marco, J. F. Sanz-Cervera, V. Garcia-Lliso, A. Susanna and N. Garcia-Jacas
Labdanes from *Cryptomeria japonica*	1109	Wen-Chiung Su, Jim-Min Fang and Yu-Shia Cheng
Clerodanes and tetranorclerodane from *Vellozia bicolor*	1115	A. C. Pinto, W. S. Garcez, P. P. S. Queiroz and N. G. Fiorani
Di- and triterpenoid acids from *Lepechinia caulescens*	1119	G. Delgado, J. Hernández, M. I. Chávez, L. Alvarez, V. Gonzaga and E. Martínez
Triterpenoids of *Atriplex stocksii*	1123	B. S. Siddiqui, S. Ahmed, Ghiasuddin and M. Atta-Ullah Khan
Triterpenoids from *Dysoxylum malabaricum*	1127	T. R. Govindachari, G. Suresh and G. N. K. Kumari
Oleanane and ursane glycosides from *Schefflera octophylla*	1131	C. Maeda, K. Ohtani, R. Kasai, K. Yamasaki, N. M. Duc, N. T. Nham and N. K. Q. Cu
Icacinic acid, a triterpenoid from *Poraqueiba guianensis*	1139	M. O. F. Goulart, A. E. G. Sant'ana, R. J. Alves, J. D. de Souza Filho, J. G. S. Maia, G. G. de Oliveira and A. B. de Oliveira
Secotirucallane triterpenes from the stem bark of *Aglaia leucophylla*	1143	A. Benosman, P. Richomme, T. Sevenet, A. H. A. Hadi and J. Bruneton
Naphtho[2,3-c]furan-4,9-dione and its derivatives from *Aloe ferox*	1147	J. Koyama, T. Ogura and K. Tagahara
Sinapyl alcohol derivatives and other constituents from *Ligularia nelumbifolia*	1149	Yu Zhao, Zhongjian Jia and Li Yang
Three new cinnamylphenols in heartwood of *Erythrina crista-galli*	1153	M. Iinuma, Y. Okawa and T. Tanaka
A flavonostilbene and two stilbene oligomers in roots of *Sophora leachiana*	1157	M. Iinuma, M. Ohyama, T. Tanana and F. A. Lang
A butyrolactone lignan dimer from *Arctium lappa*	1161	B. H. Han, Y. H. Kang, H. O. Yang and M. K. Park

Ester linkages between lignin and glucuronic acid in lignin–carbohydrate complexes from *Fagus crenata* 1165 T. Imamura, T. Watanabe, M. Kuwahara and T. Koshijima

Leaf phenolics of *Punica granatum* 1175 M. A. M. Nawwar, S. A. M. Hussein and I. Merfort

An acylated cyanidin glycoside in the red–purple flowers of × *Laeliocattleya* cv Mini Purple 1179 F. Tatsuzawa, N. Saito, M. Yokoi, A. Shigihara and T. Honda

Rare flavonoid aglycones from *Flourensia retinophylla* 1185 H. Stuppner and E. P. Müller

Revised structure of a natural flavone from *Tephrosia candida* 1189 T. Horie, Y. Kawamura, T. Kobayashi and K. Yamashita

2-Alkyl-4-quinolone alkaloids and cinnamic acid derivatives from *Esenbeckia almawillia* 1193 G. M. S. P. Guilhon, A. C. S. Baetas, J. G. S. Maia and L. M. Conserva

Alkaloid content in four *Spartium junceum* populations as a defensive strategy against predators 1197 L. Barboni, A. Manzi, B. Bellomaria and A. M. Quinto

Alkaloids from *Stemona tuberosa* 1201 Yang Ye, Guo-Wei Qin and Ren-Sheng Xu

Alkaloids of *Stemona japonica* 1205 Yang Ye, Guo-Wei Qin and Ren-Sheng Xu

Short Reports

An amino acid from *Solorina crocea* 1209 H. Matsubara, K. Kinoshita, K. Koyama, K. Takahashi, I. Yoshimura, Y. Yamamoto and K.-I. Kawai

A germacranolide from *Cyathocline lutea* 1211 S. R. Rojatkar, M. Banerjee, D. D. Sawaikar and B. A. Nagasampagi

A diterpene from *Cipadessa fruticosa* and *Grangea maderaspatana* 1213 S. R. Rojatkar, Y. G. Chiplunkar and B. A. Nagasampagi

Flavonol glycosides and phenolics from *Withania somnifera* 1215 F. E. Kandil, N. H. El Sayed, A. M. Abou-Douh, M. S. Ishak and T. J. Mabry

Number 5

Plant peroxidases: interaction between their prosthetic groups 1217 M. J. R. Marañón and R. B. van Huystee

Growth and Metabolism

Effects of water-stress on proline content and ornithine amino-transferase activity of radish cotyledons 1227 F. Hervieu, F. Le Dily, J.-P. Billard and C. Huault

Multiple forms of pectin methylesterase from *Cuscuta reflexa* filaments 1233 S. Srivastava, A. Nighojkar and A. Kumar

Effect of drought on photodynamic peroxidation of leaf total lipophilic extracts 1237 R. Ferrari-Iliou, A. D'Arcy-Lameta, Anh Thu Pham Thi, Y. Zuily-Fodil and P. Mazliak

Localization of the ellagitannins in the tissues of *Quercus robur* and *Quercus petraea* woods 1245 G. Masson, J.-L. Puech and M. Moutounet

Enzymatic phenol oxidation and polymerization of the spermine alkaloid aphelandrine 1251 M. Todorova, C. Werner and M. Hesse

Carotenoid composition and its relationship to chlorophyll and D1 protein during leaf development in a normally senescing cultivar and a *stay-green* mutant of *Festuca pratensis* 1257 B. Biswal, L. J. Rogers, A. J. Smith and H. Thomas

Cell Culture and Biotechnology

Diterpenes of the clerodane-type from cultured cells of *Heteroscyphus planus* — 1263 — K. Nabeta, T. Oohata, N. Izumi and K. Katoh

Progesterone bioconversion by microalgal cultures — 1269 — A. Pollio, G. Pinto, M. Della Greca, A. De Maio, A. Fiorentino and L. Previtera

Comparative polyphenolic productions in *Crataegus monogyna* callus cultures — 1273 — T. Bahorun, F. Trotin and J. Vasseur

Comparative root growth inhibitory activity of four brassinosteroids — 1277 — J. G. Roddick

Chemotaxonomy

Iridoid glycosides of additional *Penstemon* species — 1283 — F. R. Stermitz, A. Blokhin, C. S. Poley and R. E. Krull

Sesquiterpenyl coumarins and geranyl benzaldehyde derivatives from the aerial parts of *Eriostemon myoporoides* — 1287 — S. D. Sarker, J. A. Armstrong, A. I. Gray and P. G. Waterman

Terpenes from *Liatris ohlingerae* — 1295 — T. Lu, C. L. Cantrell, D. Vargas, F. R. Fronczek, S. G. Franzblau and N. H. Fischer

Plant Chemistry

Beauverolides L and La from *Beauveria tenella* and *Paecilomyces fumosoroseus* — 1301 — A. Jegorov, P. Sedmera, V. Maťha, P. Šimek, H. Zahradníčková, Z. Landa and J. Eyal

Sulphones derived from methylthiopropenoic acid amides from *Glycosmis angustifolia* — 1305 — H. Greger, O. Hofer, G. Zechner, F. Hadacek and G. Wurz

Chemical and ^{13}C NMR studies of *Enterolobium cyclocarpum* gum and its degradation products — 1311 — G. León de Pinto, M. Martinez, A. Ludovic de Corredor, C. Rivas and E. Ocando

Rearranged *ent*-eudesmane- and *ent*-eremophilane-type sesquiterpenoids from the liverwort *Frullania dilatata* — 1317 — F. Nagashima, S. Takaoka, S. Huneck and Y. Asakawa

Cadinane-type sesquiterpenoids from the liverwort *Scapania undulata* — 1323 — F. Nagashima, K. Suda and Y. Asakawa

Sesquiterpenes from the brown alga *Taonia atomaria* — 1327 — S. De Rosa, A. De Giulio, C. Iodice and N. Zavodink

Sesquiterpene lactones from *Stevia breviaristata* — 1331 — L. R. Hernández, C. A. N. Catalán, C. M. Cerda-García-Rojas and P. Joseph-Nathan

Sesquiterpene lactones and 3-benzylphthalides from *Frullania muscicola* — 1337 — L. Kraut, R. Mues and M. Sim-Sim

Sesquiterpene lactones from *Ajania fruticulosa* — 1347 — W. Z. Wang, R. X. Tan, Y. M. Yao, Q. Wang and F. X. Jiang

Sesquiterpene lactones and other constituents of *Seseli vayredanum* — 1351 — A. F. Barrero, M. M. Herrador and P. Arteaga

Minor diterpenoids from *Halimium viscosum* — 1359 — J. G. Urones, I. S. Marcos, P. Basabe, M. J. Sexmero, H. Carrillo and M. J. Melchor

A diterpenoid from roots of *Gelonium multiflorum* — 1363 — B. Das, A. K. Chakravarty, K. Masuda, H. Suzuki and H. Ageta

Nervosanin A and B, and *ent*-kauranoids from *Isodon nervosus* — 1367 — Wang Xian-rong, Hu Hui-ping, Wang Hong-ping, Wang Su-qing, S. Ueda and T. Fujita

Rearranged abietane diterpenes from *Teucrium divaricatum* subsp. *villosum*	1371	A. Ulubelen, G. Topcu and S. Olçal
Modified labdane diterpenoids from *Cluytia richardiana*	1377	I. Muhammad, J. S. Mossa, M. A. Al-Yahya, H. H. Mirza, F. S. El-Feraly and A. T. McPhail
Labdane diterpenes from rhizomes of *Hedychium coronarium*	1383	N. Nakatani, H. Kikuzaki, H. Yamaji, K. Yoshio, C. Kitora, K. Okada and W. G. Padolina
Triterpenoid saponins from *Ardisia crenata*	1389	Z. Jia, K. Koike, T. Ohmoto and Muyun Ni
Triterpenoid glycosides from *Anagallis arvensis*	1397	N. Shoji, A. Umeyama, K. Yoshikawa and S. Arihara
Cycloartane triterpene glycosides from the hairy root cultures of *Astragalus membranaceus*	1403	M. Hirotani, Y. Zhou, H. Rui and T. Furuya
Triterpenoids from *Dysoxylum pettigrewianum*	1409	D. A. Mulholland and J. J. Nair
Bacchara-12,21-dien-3β-ol from the seeds of *Glycine max*	1413	T. Akihisa, Y. Kimura and T. Tamura
Limonoids and triterpenoid acids from the bark of *Entandrophragma delevoyi*	1417	D. A. Mulholland, R. Osborne, S. L. Roberts and D. A. H. Taylor
Structure–activity relationships of synthetic digitoxigenyl glycosides	1421	M. Takechi and Y. Tanaka
Anti-inflammatory triterpene saponins of *Pithecellobium dulce*: characterization of an echinocystic acid bisdesmoside	1425	N. P. Sahu and S. B. Mahato
Glycosides of 19-formylthevetiogenin and 5α-thevetiogenin from *Thevetia neriifolia*	1429	F. Abe, T. Yamauchi, S. Yahara and T. Nohara
Steroidal saponins from *Smilax menispermoidea* and *S. Lebrunii*	1433	Yong Ju, Zhongjian Jia and Xuejun Sun
Baccharane glycosides from seeds of *Impatiens balsamina*	1437	N. Shoji, A. Umeyama, K. Yoshikawa, M. Nagai and S. Arihara
Brownins F and H: new limonoids from *Harrisonia brownii*	1443	K. Mitsunaga, K. Koike and T. Ohmoto
Sterols from Brazilian marine brown algae	1447	B. G. Fleury, M. V. G. Pereira, J. R. P. da Silva, M. Kaisin, V. L. Teixeira and A. Kelecom
A quassinoid (peninsularinone) and a steroid from *Castela peninsularis*	1451	P. A. Grieco, E. D. Moher, M. Seya, J. C. Huffman and H. J. Grieco
Lignan glycosides from bark of *Albizzia myriophylla*	1455	A. Ito, R. Kasai, K. Yamasaki, N. M. Duc and N. T. Nham
Naphthalene and isocoumarin derivatives from the liverwort *Wettsteinia inversa*	1459	Fu-Mei Kiang, Shu-Jen Chang and Chia-Li Wu
Flavonoids in *Rosmarinus officinalis* leaves	1463	N. Okamura, H. Haraguchi, K. Hashimoto and A. Yagi
Diterpenoid alkaloids from *Aconitum talassicum*	1467	Jianmin Yue, Jun Xu, Yaozu Chen and Shaonong Chen
Glucoindole alkaloids from bark of two *Sickingia* species	1471	R. Aquino, L. Garofalo, N. de Tommasi, O. Lock de Ugaz and C. Pizza

Short Reports

ent-14β-Hydroxy-8(17),12-labdadien-16,15-olide-3β,19-oxide: a diterpene from the aerial parts of *Andrographis paniculata*	1477	I. Jantan and P. G. Waterman

Abietane and *neo*-clerodane diterpenoids from *Salvia lavanduloides* 1480 E. MALDONADO, M. DE LOS ANGELES FLORES, B. SALAZAR and A. ORTEGA

Structure revision of gratioside 1483 H. STUPPNER and E. P. MÜLLER

Structure determination of a kaempferol 3-rhamnosyldiglucoside from *Impatiens balsamina* 1486 H. FUKUMOTO, K. ISHIGURO, T. MURASHIMA, M. YAMAKI and K. ISOI

Book Review
Fijian Medicinal Plants: by R. C. CAMBIE and J. ASH 1489 J. B. HARBORNE

Number 6

Plant cytochrome P450 1491 G. P. BOLWELL, K. BOZAK and A. ZIMMERLIN

Review Article Number 97
Glucose activation and metabolism through UDP-glucose pyrophosphorylase in plants 1507 L. A. KLECZKOWSKI

Review Article Number 98
^{13}C NMR Spectra of pentacyclic triterpenoids—a compilation and some salient features 1517 S. B. MAHATO and A. P. KUNDU

Growth and Metabolism
S-Adenosyl-L-methionine:theobromine 1-*N*-methyltransferase, an enzyme catalysing the synthesis of caffeine in coffee 1577 P. MAZZAFERA, G. WINGSLE, O. OLSSON and G. SANDBERG

Antioxidant activity of depsides and depsidones 1585 M. E. HIDALGO, E. FERNÁNDEZ, W. QUILHOT and E. LISSI

Ecological Biochemistry
Plant cytotoxicity of nebularine (purine riboside) 1589 E. G. BROWN and M. KONUK

Bioactive chromenes from *Rhyncholacis penicillata* 1593 G. BURKHARDT, H. BECKER, M. GRUBERT, J. THOMAS and T. EICHER

Biosynthesis
Biosynthesis of iridoid glucosides in *Thunbergia alata* 1599 S. DAMTOFT, L. B. FREDERIKSEN and S. R. JENSEN

Some quantitative aspects of cardenolide synthesis from malonate in *Asclepias curassavica* 1605 H. W. GROENEVELD, Y. E. M. VAN BERKEL, A. BINNEKAMP and D. SEYKENS

Cell Culture and Biotechnology
6-Methoxy-2-benzoxazolinone in *Scoparia dulcis* and its production by cultured tissues 1611 T. HAYASHI, K. GOTOH, K. OHNISHI, K. OKAMURA and T. ASAMIZU

Chemotaxonomy
Agarose–carrageenan hybrid polysaccharides from *Lomentaria catenata* 1615 R. TAKANO, Y. NOSE, K. HAYASHI, S. HARA and S. HIRASE

Ricinoleic and cyclopropene acids in *Trichodesma zeylanicum* seed oil 1621 K. M. HOSAMANI

Sterols from green and blue–green algae grown on reused waste water 1625 A. RZAMA, E. J. DUFOURC and B. ARREGUY

Quercetin glycosides from antarctic *Ranunculus* species 1629 K. GLUCHOFF-FIASSON, J. L. FIASSON and J. FAVRE-BONVIN

Thirty-seven flavonoids from flowers of *Arnica longifolia* 1635 A. SKIBINSKI, I. MERFORT and G. WILLUHN

Jacpaniculines, the first lignanamide alkaloids from the Convolvulaceae 1637 A. HENRICI, M. KALOGA and E. EICH

Plant Chemistry

1-(ω-Hydroxyfattyacyl)glycerols and two flavanols from *Cinnamomum camphora* 1641 R. K. Mukherjee, Y. Fujimoto and K. Kakinuma

Hillyl acetate, a keto-acetate from the leaf steam volatiles of *Syncarpia hillii* 1645 J. J. Brophy, D. C. Craig, R. J. Goldsack and C. J. R. Fookes

Secoiridoid glucosides from *Chelonanthus chelonoides* 1649 Y. Shiobara, K. Kato, Y. Ueda, K. Taniue, E. Syoha, N. Nishimoto, F. de Oliveira, G. Akisue, M. K. Akisue and G. Hashimoto

Prenylated C_6–C_3 compounds related to illicinone E from *Illicium tashiroi* 1653 Y. Fukuyama, N. Shida, Y. Hata, S. Anzaki and M. Kodama

Cytotoxic clerodane diterpenes from *Polyalthia barnesii* 1659 X. Ma, I.-S. Lee, H.-B. Chai, K. Zaw, N. R. Farnsworth, D. D. Soejarto, G. A. Cordell, J. M. Pezzuto and A. D. Kinghorn

Neo-clerodane diterpenoids from *Teucrium polium* spp. *aurasianum* 1663 S. Ladjel, K. Laamara, M. R. Y. Al-Hillo and M. Païs

seco-Glycosides of oleanolic acid from *Beta vulgaris* 1667 G. Massiot, M.-G. Dijoux, C. Lavaud, L. Le Men-Olivier, J. D. Connolly and D. M. Sheeley

Triterpene saponins from *Myrsine pellucida* 1671 C. Lavaud, G. Massiot, J. B. Barrera, C. Moretti and L. Le Men-Olivier

Coupled anthraquinones from the toadstool *Dermocybe icterinoides* 1679 A. Antonowitz, M. Gill, P. M. Morgan and J. Yu

An anthraquinone glycoside from *Cassia angustifolia* leaves 1685 J. Kinjo, T. Ikeda, K. Watanabe and T. Nohara

Phenylpropanoid glycosides of *Prunus ssiori* 1689 O. M. Abdallah, M. S. Kamel and M. H. Mohamed

Lignans and lignan glycosides from *Haplophyllum cappadocicum* 1693 B. Gözler, M. A. Önür, T. Gözler, G. Kadan and M. Hesse

4-*O*-Demethylyatein from the branch wood of *Thuja occidentalis* 1699 S. Kawai, T. Hasegawa, M. Gotoh and H. Ohashi

Characterization of blackcurrant stem lignin 1703 D. Stewart, R. Brennan and G. J. Provan

Flavan-3-ols from seeds of *Lupinus angustifolius* 1707 M. Stobiecki and M. Popenda

Three isoflavanones from roots of *Sophora prostrata* 1713 M. Iinuma, M. Ohyama and T. Tanaka

Diterpenoid and norditerpenoid alkaloids from *Delphinium nuttallianum* 1717 Yili Bai, Fang Sun, M. Benn and W. Majak

Anguivine and isoanguivine, steroid alkaloid glycosides from *Solanum anguivi* 1725 H. Ripperger and U. Himmelreich

Indole alkaloids and terpenoids from *Tabernaemontana markgrafiana* 1729 H. B. Nielsen, A. Hazell, R. Hazell, F. Ghia and K. B. G. Torssell

Indole alkaloids from *Tabernaemontana glandulosa* 1737 H. Achenbach, R. Waibel and M. Zwanzger

Indole alkaloids from *Alstonia glaucescens* 1745 N. Keawpradub, H. Takayama, N. Aimi and S.-I. Sakai

(+)-15β-Hydroxy-17-oxolupanine, a lupin alkaloid from the seeds of *Lupinus albus*	1751	M. H. Mohamed, Z. Z. Ibraheim, O. M. Abdallah and I. Murakoshi
An alkaloid and two lignans from *Cuscuta chinensis*	1755	S. Yahara, H. Domoto, C. Sugimura, T. Nohara, Y. Niiho, Y. Nakajima and H. Ito
The alkaloids huperzines C and D and huperzinine from *Lycopodiastrum casuarinoides*	1759	Jia-Sen Liu and Mei-Fen Huang
Short Reports		
5-Acetoxyisogoniothalamin oxide, an epoxystyryl lactone from *Goniothalamus sesquipedalis*	1763	C. M. Hasan, M. Y. Mia, M. A. Rashid and J. D. Connolly
Eremopetasidione, a nor-sesquiterpenoid from the rhizomes of *Petasites japonicus*	1765	Y. Yaoita and M. Kikuchi
ent-Longipinane-type sesquiterpenoid from the liverwort *Marsupella emarginata*	1767	F. Nagashima, A. Ishimaru and Y. Asakawa
Two volatile β-chromenes from *Wisteria sinensis* flowers	1769	D. Joulain and R. Tabacchi
A 3-oxygenated flavonolignoid from *Distemonanthus benthamianus*	1771	E. Malan, E. Swinny and D. Ferreira
Petasiphenone, a phenolic compound from rhizomes of *Petasites japonicus*	1773	Y. Yaoita and M. Kikuchi
A chalcone glycoside from *Clerodendron phlomidis*	1775	R. Roy and V. B. Pandey
Kaempferol 3-*O*-β-D-(6″-feruloylglucoside) from *Polylepis incana*	1777	S. Catalano, A. R. Bilia, M. Martinozzi and I. Morelli
Errata and corrigenda	1779	